Issue date: 2018/3/1

Code : E1300

MATERIAL SAFETY DATA SHEET

IDENTITY: MagDEA Dx SV

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

PRODUCT NAME : MagDEA Dx SV

MANUFACTURER: Precision System Science Co.,Ltd.

Address : 88, Kamihongou, Matsudo-shi, Chiba 271-0064 JAPAN

Telephone Number:

For Information : +81-47-303-4801 Emergency : +81-47-303-4801 E-Mail : <u>service@pss.co.jp</u> MSDS No. : MSDS-E1300-E-02

2. HAZARDS IDENTIFICATION

Well	REAGENT	SINGLE/	GHS CL	DN		
No.	NAME	MIXTURE	Class	Category	Symbol	H-Code
			Acute toxicity (oral)	4		H302
			Skin corrosion/ irritation	2		H315
			Serious eye damage / eye	2	X	H302
1	Lysis Solution	Mixture	irritation		*	
	Lysis Solution	IVIIALUIE	Specific target organ systemic	3	3/2	H335
			toxicity - single exposure		•	
			Hazardous to the aquatic	1		H400, H410
			environment			
2	PK solution	Mlxture	Not classifiable	-	-	-
3	Carrier	Mixture	Not classifiable	-	-	-
	solution	WIIXLUIE				
4	Magnetic	Mixture	Not classifiable	-	-	-
	particles					
			Flammable liquids	2	1	H225
			Serious eye damage / eye	2	(<u>63</u>)	H319
_			irritation		X	
5,	Binding buffer		Reproductive toxicity	2		H361
6,	Wash buffer 1	Mixture	Specific target organ systemic	1, 3	\•/	H370, H335
7	Wash buffer 2		toxicity - single exposure		Ä	
			Specific target organ systemic	1, 2		H372, H373
			toxicity - Repeated exposure			
8	Distilled water	Single	Not classifiable	-	-	

SIGNAL WORD: Danger HAZARD STATEMENTS:

Highly flammable liquid and vapor

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

Causes damage to organs

May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure

May cause damage to organs through prolonged or repeated exposure

Harmful if swallowed

Causes skin irritation

Very toxic to aquatic life

Very toxic to aquatic life with long-lasting effects

PRECAUTIONARY STATEMENTS:

Well No.	REAGENT NAME	SINGLE/ MIXTURE	P-code	Precautionary statement	
			P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
			P264	Wash hands thoroughly after handling.	
			P270	Do not eat, drink or smoke when using this product.	
			P271	Use only outdoors or in a well-ventilated area.	
			P273	Avoid release to the environment.	
			P280	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
			P301+P312	IF ON SKIN: Wash with plenty of soap and water.	
			P302+P352	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
			P304+P340	P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P301+P312 IF ON SKIN: Wash with plenty of soap and water. P302+P352 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
			P305+P351+P338		
1	Lysis Solution	MIXTURE	P312	Specific treatment.	
			P321	Rinse mouth.	
				P330	If skin irritation occurs: Get medical advice/attention.
			P332+P313	If eye irritation persists: Get medical advice/attention.	
			P337+P313	Take off contaminated clothing.	
			P362	Collect spillage.	
			P391	Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. Specific treatment. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing. Collect spillage. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container according to national regulation.	
			P403+P233		
			P405		
			P501	Avoid breathing dust/fume/gas/mist/vapors/spray.	

Precision System Science Co.,Ltd. Code: E1300 MSDS No.: MSDS-E1300-E-02

P201 Obtain special instructions before P202 Do not handle until all safety precand understood. P210 Keep away from heat/sparks/ope smoking. P233 Keep container tightly closed. P240 Ground/bond container and recei P241 Use explosion-proof electrical/vei	cautions have been read n flames/hot surfaces No
P202 and understood. P210 Keep away from heat/sparks/ope smoking. P233 Keep container tightly closed. P240 Ground/bond container and recei	n flames/hot surfaces No ving equipment.
P210 smoking. P233 Keep container tightly closed. P240 Ground/bond container and recei	ving equipment.
P240 Ground/bond container and recei	3
	3
P241 Use explosion proof electrical/yea	ntilating/lighting equipment.
F 241 Use explosion-proof electrical/ver	
P242 Use only non-sparking tools.	
P243 Take precautionary measures ag	ainst static discharge.
P260 Do not breathe dust/fume/gas/mis	st/vapours/spray.
P261 Avoid breathing dust/fume/gas/m	ist/vapours/spray.
P264 Wash hands thoroughly after han	dling.
P270 Do not eat, drink or smoke when	using this product.
P271 Use only outdoors or in a well-ver	
P280 Wear protective gloves/protective protection/face protection.	e clothing/eye
5, Binding buffer Wash buffer Wash buffer MIXTURE P303+P361+P353 IF ON SKIN (or hair): Remove/Ta contaminated clothing. Rinse skir	ke off immediately all n with water/shower.
7 Wash buffer P304+P340 IF INHALED: Remove victim to fr a position comfortable for breathi	
P305+P351+P338 IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, Continue rinsing.	
P308+P311 If exposed or concerned: Call a F doctor/physician.	POISON CENTER/
P308+P313 IF exposed or concerned: Get me	edical advice/attention.
P312 Call a POISON CENTER or doctor unwell.	or/physician if you feel
P314 Get medical advice/attention if you	ou feel unwell.
P321 Specific treatment.	
P337+P313 If eye irritation persists: Get medi	cal advice/attention.
P370+P378 In case of fire: Use carbon dioxid water fog to extinction.	e, foam, dry chemical and
P403+P233 Store in a well-ventilated place. K	Ceep container tightly
P403+P235 Store in a well-ventilated place. K	Ceep cool.
P405 Store locked up.	
P501 Dispose of contents/container accregulation.	cording to national

3. COMPOSITION/INFORMATION ON INGREDIENTS

Well 1 : Lysis Solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Guanidine Hydrochloride	50-01-1	<60%	200-002-3	Listed
Hexadecan-1-yl(trime thyl)ammonium chloride	112-02-7	0.1-5%	203-928-6	Not listed

Well 2: PK solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	-	-	-

Well 3: Carrier solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	-	-	-

Well 4 : Magnetic particles

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	ı	ı	ı	•

Well 5 : Binding buffer

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed
Dodecyl sodium sulfate	151-21-3	<1%	205-778-1	Listed

Well 6: Wash buffer 1

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed
Dodecyl sodium sulfate	151-21-3	<1%	205-778-1	Listed

Well 7: Wash buffer 2

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed

Well 8 : Distilled water

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Water	7732-18-5	100%	231-791-2	Listed

4. FIRST AID MEASURES

GENERAL ADVICE :Wash off immediately with soap and plenty of water. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit. Use

personal protective equipment.

INHALATION: Move victim to fresh air. If breathing is difficult, give oxygen. If breathing has stopped,

administer artificial respiration. Maintain normal body temperature with a blanket. If irritation

persists, transport to a hospital immediately.

SKIN CONTACT :Remove contaminated clothes and shoes, rinse skin with plenty of water or shower. Use soap

to help assure removal. If irritation persists, consult a physician.

EYE CONTACT: Remove any contact lenses at once. Flush eyes well with flooding amounts of running water for

at least 15 minutes. Assure adequate flushing by separating the eyelids with sterile fingers. If

irritation persists, consult a physician.

INGESTION: Rinse mouth, give plenty of water to dilute the substance. Never give anything by mouth to an

unconscious person. Transport to a hospital immediately.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical powder, alcohol

resistant foam, water

FIRE & EXPLOSION HAZARDS: Flammable liquid. Hazardous toxic and irritating

fumes or smoke may be emitted. Vapors may travel considerable distance to ignition source and

flash back.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS : Firemen should wear normal protective equipment

(full bunker gear) and positive-pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Remove ignition sources and ventilate the area. In case of insufficient

ventilation, wear suitable respiratory equipment. Avoid contact with skin and

eyes.

ENVIRONMENTAL PRECAUTIONS: Prevent spills from entering sewers, watercourses or low areas.

METHODS FOR CLEANING UP: Do not touch spilled material without suitable protection (See section 8).

Take up spilled material with ashes or other absorbents. After material is completely picked up, wash the spill site with soap and water and ventilate the area. Put all wastes in a plastic bag for disposal and seal it tightly.

Remove, clean, or dispose of contaminated clothing.

7. HANDLING AND STORAGE

PRECAUTION FOR SAFE HANDLING : Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated

exposure. Handle material with suitable protection away from source of

heat or ignition and use non-sparking type tools.

CONDITIONS FOR SAFE STORAGE: Store away from sunlight in well-ventilated dry place at room temperature

(preferably cool place). Keep container tightly closed.

INCOMPATIBILITIES: Bases, oxidizers, reducing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES: Use exhaust ventilation to keep airborne concentrations below exposure limits. Use

only with adequate ventilation.

VENTILATION: Local Exhaust; Necessary, Mechanical(General); Recommended

INDIVIDUAL PROTECTION MEASURES;

Respiratory protection: Use a NIOSH/MSHA or European Standard EN149 approved respirator if the vapor

concentrations exceed regulatory guidelines.

Hand protection : Chemical resistant gloves
Eye protection : Safety glasses(goggles)
Skin protection : Protective clothing

CONTROL PARAMETER:

OSHA Final Limits : Not available ACGIH TLV(s) : Not available

E1300 MSDS No.: Code: MSDS-E1300-E-02

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOUR: Suspension of blown polymer particles in aqueous solutions (Well No.4)

All plastic packaging contain clear, aqueous solutions (Others)

: Ha 5.0-8.0

MELTING POINT: Not available **INITIAL BOILING POINT:** Not available FLASH POINT: Not available FLAMMABILITY (solid, gas): Not available **EXPLOSIVE LIMITS:** Not available **VAPOR PRESSURE:** Not available VAPOR DENSITY: Not available RELATIVE DENSITY Not available

SOLUBILITY IN WATER Refractoriness (Well No.4)

Miscible (others) PARTITION COEFFICIENT: Not available **AUTOIGNITION TEMPERATURE:** Not available **DECOMPOSITION TEMPERATURE:** Not available

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY Stable under recommended storage conditions. (Well No.2, No.3)

CONDITIONS TO AVOID Sunlight, heat, moisture (Well No.2, No.3)

Oxidizers, acetic anhydride, calcium oxychloride, chromium oxides, **INCOMPATIBILE MATERIALS:**

alkali metal hydrides (Well No.2, No.3)

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and corrosive gas (acrolein) may be formed. (Well

No.2, No.3)

11. TOXICOLOGICAL INFORMATION

Well No.1 Lysis Solution as Guanidine hydrochloride

ACUTE TOXICITY DATA: LD50(oral, rat): 475 mg/kg(NTIS** AD-A165-747)

LD50(oral, mouse): 571 mg/kg(ATDAE1 12, 598, 1993)

LD50(ipr, mouse): 500 mg/kg(NTIS** AD277-689)

Skin; rabbit; 500 mg/24H; Severe(NTIS** AD-A166-306) Eye; rabbit; 81,400 μg; Moderate(NTIS** AD-A184-068) **IRRITATION DATA:**

Mutation in microorganisms; S.cerevisiae; 4 mmol/L(BBRCA9 53, 531, 1973) **MUTATION DATA:**

REPRODUCTIVE EFFECTS DATA: Not available TUMORIGENIC DATA: Not available Well No.5,6, and 7 as 95% sodium dodecyl sulfate

ACUTE TOXICITY DATA: LD50(oral, rat): 1288 mg/kg(FCTXAV 5, 763, 1967)

LC50(Inhalation ihl, rat): 3900 mg/m3/1H(BIOFX* 23-3/1971)

Eye; rabbit; 100 mg/24H; Moderate(28ZPAK -,305,72) **IRRITATION DATA:**

Skin; rabbit; 50 mg/24H; Severe (BIOFX* 23-3/71)

Eye; human; 0.5 %/47H; Mild(JIDEAE 11, 474, 1984)

MUTATION DATA: DNA repair; E.coli; 12500 nl/well(MUREAV 158, 19, 1985)

DNA damage; rat; liver; 243 µmol/L(EMMUEG 24, 181, 1994)

REPRODUCTIVE EFFECTS DATA :TDLo (skin, mouse): 480 mg/kg(6-17 D preg)(TRENAF 27, 113, 1976)

TUMORIGENIC DATA: Not available

ADDITIONAL INFORMATION;

NTP: Not listed IARC: Not listed OSHA: Not listed ACGIH: Not listed

Well 5, 6, 7 as 100 % 2-propanol

LD50(oral, mouse): 3600 mg/kg **ACUTE TOXICITY DATA:**

LD50(oral, rabbit): 571 mg/kg(ATDAE1 12, 598, 1993)

LD50(ipr, mouse): 500 mg/kg(NTIS** AD277-689)

IRRITATION DATA: Skin; rabbit; 12800 mg/24H

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Not available PERSISTENCE AND DEGRADABILITY: Not available. BIOACCUMULATION POTENTIAL: Not available MOBILITY IN SOIL: Not available OTHER ADVERSE EFFECTS: Not available

13. DISPOSAL CONSIDERATION (INCLUDING CONTAINER)

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber in accordance with all applicable regulations. Any disposal practice must be in compliance with country, local, state, and federal laws and regulations (contact country, local or state environmental agency for specific rules).

After contents are completely removed, dispose of its container at hazadous or special waste collection point. (in accordance with local/regional/national/international regulation).

14. TRANSPORT INFORMATION

2-propanol (Isopropanol)

IATA: 1219
Transport hazard class 3
Packaging group II
Environmental hazard No
UN Number UN1219

15. REGULATORY INFORMATION

As 2-propanol (CAS# 67-63-0)

US REGULATIONS:

Health & Safety Reporting ListEffective 12/15/86, Sunset 12/15/96

Chemical Test Rules 40 CFR 799.2325

SARA Codes immediate, delayed, fire.

EU REGULATIONS;

Hazard Symbols: XI F

Risk Phrases: R 11 Highly flammable.

R 36 Irritating to eyes.

R 67 Vapors may cause drowsiness and dizziness.

Safety Phrases: S 16 Keep away from sources of ignition - No smoking.

S 24/25 Avoid contact with skin and eyes.

S 26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice. S 7 Keep container tightly closed.

WGK (Water anger/Protection) 1

16. OTHER INFORMATION INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

Reference

Siyaku.com http://www.siyaku.com/

European Chemicals Bureau http://ecb.jrc.ec.europa.eu/

Registry of Toxic Effects of Chemical Substances NIOSH(1985-1986)

The above information is believed to be correct to be the best of our knowledge and information but does not purport to be all inclusive and shall be used only as a guide. This product is intended to be used by expert persons having chemical knowledge and skill, at their own discretion and risk and PSS shall not be held liable for any damage resulting from handling or from contact with the above material.